

FIG.1




FIG.2





FIG.3

PQI 型 / PQI Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)						
		A	B	C	D	E	F	G
PQI20.5/13.1/14	1	20.5±0.4	10.1±0.1	14±0.4	8.8±0.2	18±0.4	7.15±0.15	12min
PQI20/12/14A	2	20.5±0.4	9.9±0.1	14±0.4	8.8±0.2	18±0.4	7.2±0.15	12min
PQI26.5/16.6/19A	3	26.5±0.45	12.5±0.25	19±0.45	12±0.2	22min	8.05±0.15	15.5min
PQI26.5/16.7/19	1	26.5±0.45	12.5+0/-0.25	19±0.45	12±0.2	22.5±0.45	8.05±0.15	15.5min
PQI26/15	2	26.5±0.45	12.5+0/-0.25	19±0.45	12±0.2	22.5±0.45	8.05±0.15	15.5min
PQI32/18.5/22	1	32±0.5	14±0.15	22±0.5	13.4±0.3	27.5±0.5	9.5±0.15	19min
PQI32/20.4/22	1	32±0.5	15.3±0.2	22±0.5	13.45±0.3	27.5±0.5	10.7±0.2	19min
PQI35.1/20/26	1	35.1±0.6	15±0.15	26±0.5	14.35±0.25	32±0.5	10.125±0.15	23.5min
PQI35.1/27/26	1	35.1±0.6	22±0.2	26.0±0.5	14.35±0.25	32±0.5	17±0.2	23.5min
PQI40.5/21/27.9	1	40+1.4/-0.4	16±0.2	28+0.45/-0.6	15+0/-0.6	36.4min	11±0.2	27.2min
PQI40/20	1	40.0+1.4/-0.4	15.13±0.12	28.0+0.45/-0.6	15.0+0/-0.6	36.4min	9.98±0.15	27.2min
PQI50/28B	1	50.0±0.7	20.8±0.2	32.0±0.6	20.0±0.35	44.0±0.7	13.65±0.2	32.0min

尺寸 Dimensions (mm)						AL(±25%)				重量 g / PRS					
H	I	J	K	L	M	C1	Ae	Le	Amin		Ve	TP4	TP4A	TP4W	TPW33
2.95±0.15						0.51	60.94	31.24	59.13	1903.5	3600	3700	4200	4500	11.50
21.3±0.4	14±0.3	2.1±0.2	6.5±0.2	2.5±0.2	0.8±0.2	0.53	56.59	30.25	48.11	1712	2950	3050	3500	3700	10.20
	4.1±0.2	26.5±0.45	19±0.45			0.32	119.19	37.92	113.10	4519.1	6000	6200	7200	7600	26.34
26.6±0.45	4.35±0.1	19±0.45				0.32	119.81	38.02	113.10	4555.2	6000	6200	7200	7600	25.50
27.3±0.4	19±0.3	2.8±0.2	6.5±0.2	3.5±0.2	1±0.2	0.45	120.14	38.08	106.40	4574.9	5600	5800	6700	7200	24.60
	4.5±0.1	32±0.5	22±0.5	19min		0.30	162.77	49.54	140.10	8062.8	6100	6300	7400	7900	39.40
	5.1±0.2	32±0.5	22±0.3			0.31	167.95	52.79	142.08	8866.1	5900	6100	7200	7700	44.80
	5±0.2					0.30	183.51	55.50	161.73	10185.2	6500	6700	7900	8500	47.00
	5±0.2					0.38	184.21	70.72	161.73	13027	5300	5500	6600	7100	61.92
40+14/-0.4	5±0.1	28+0.45/0.6				0.32	196.45	62.78	169.72	12333.5	6200	6400	7600	8100	60.80
40+14/-0.4	5±0.1	28+0.45/0.6	29±1	6.25±0.2		0.42	198.53	82.68	169.72	16414.5	4900	5100	6100	6600	88.60
50.0±0.7	6.72±0.15	32.0±0.6				0.22	318.00	70.00	314.16	22248	10500	10900	13000	13500	134.50